

JBC

www.utility-trading.com



Junior Tip Cleaner

Improve thermal transfer in only **1 second**

Features

A well cleaned tip

- **Improves** soldering quality
- **Saves** work time
- **Increases** productivity


JBC offers an **effective, practical and affordable method** to prevent splashing and extend a tip's life.

Ask for a demo and personally check out the advantages of JBC's automatic tip cleaners.




Clean the tip in a fraction of a second

In a very short time you get optimal and uniform cleaning. You can clean more frequently in less time which means optimizing production.



Improve heat transfer

A clean tip is always easier to tin resulting in higher quality solder joints.



Avoid solder splashing

The splashguard helps keep your work area clean and free of Foreign Object Debris.



Easy to empty

The solder collector tray can be easily emptied and re-used with no wear and tear.

CLMS-B · Junior Automatic Tip Cleaner

Splashguard

Switch ON

Press the button with your soldering iron and the brushes will run for 10 seconds



Two modes of operation

The motorized brushes start by pressing the button or by selecting the continuous mode

Save space

You can easily fit the tip cleaner into your work area thanks to its reduced size



CLMS-A8 Brushes for CLMS-B

The composition, size and thickness of the fibers ensure the most efficient and least damage while cleaning the tip.



Technical Specifications

Dimensions	91 x 95 x 114 mm	Brush diameter	34 mm
Weight	1,45 Kg (3,2 lb)	Brush speed	550 rpm 650 rpm (continuous mode)
AC Adapter	Input: 96 - 264 V Output: DC 12V, 1 A	Vertical position	--

Sensor detection

The brushes run only when the tip is detected by the sensor.

Vertical access

This alternative position facilitates working with robots.



CLMB-A · Senior Automatic Tip Cleaner

Save power

The system stops when the tip is removed

Splashguard



Quick Set up

You only have to place the tray, the brushes and close the splashguard which prevents solder splashing.



CLMB-A8 Brushes for CLMB-A



Technical Specifications

Dimensions	100 x 185 x 115 mm	Brush diameter	50 mm
Weight	1,1 Kg (2,4 lb)	Brush speed	700 - 1000 rpm
AC Adapter	Input: 100 - 240 V, 50 Hz Output: DC 18V, 0.83 A	Vertical position	✓